


Osteoarthritis

What is osteoarthritis?

Osteoarthritis, also called degenerative arthritis, is a disease that causes the breakdown of the cartilage in joints. Normally, cartilage acts as a smooth, cushioning material inside joints. In osteoarthritis, the cartilage becomes rough and flaky, and small pieces break off. The bone surface of the joint also becomes rough and irregular. As a result, movement of the joint becomes painful and difficult.



Osteoarthritis occurs most often in weight-bearing joints such as the neck, lower back, knees, and hips. It also often affects the fingers.

Osteoarthritis is three times more common in women than in men. It begins to appear in middle age. By age 60, most people have some osteoarthritis, although it may be too mild to cause symptoms.

How does it occur?



Osteoarthritis is caused by excessive wear on joints. Obesity, bad posture, old injuries, and overuse can all cause extra wear on joints. Heredity also appears to play a role.




What are the symptoms?

The symptoms of osteoarthritis include:

- ♦ mild to severe pain in a joint, especially after overuse or long periods of inactivity, such as sitting for a long time
- ♦ creaking or grating sound in the joint

-
-
- ♦ swelling, stiffness, limited movement of the joint, especially in the mornings
 - ♦ weakness in muscles around the sore joint from lack of use
 - ♦ deformity of the joint.

How is it diagnosed?



Your doctor will review your medical history and examine you. Your doctor may also order blood tests and x-rays. A sample of fluid in the joint may be taken with a needle to confirm the diagnosis.



How is it treated?

The aim of treatment is to keep the joint working by reducing strain on the joint and by relieving pain, stiffness, and swelling.



Generally, acetaminophen is the best medication for pain relief in osteoarthritis. If it is not effective, low doses of aspirin or nonsteroidal anti-inflammatory drugs such as ibuprofen (Motrin, Advil, Nuprin) can be used by those who can take these types of medicines. If acetaminophen does not work, see your doctor for more guidance and evaluation.

Rubbing anti-inflammatory or deep-heat creams over the arthritic joint can sometimes be helpful. Putting an ice pack on your the joint once or twice a day can also help relieve pain. Doctors also sometimes inject steroids into the painful joint.




If you are overweight, your doctor may recommend that you lose weight by eating fewer calories, by increasing your physical activity, or both.



Physical and occupational therapy can help you have normal movement again. Regular gentle aerobic exercise is also very important for controlling osteoarthritis.

Sometimes severely damaged hips and knees are surgically replaced.



How long will the effects last?

Unfortunately, osteoarthritis is a lifetime disease that can worsen over time. Avoiding repeated injury to your joints can help, but damaged cartilage cannot repair itself.

How can I take care of myself?

Although no one yet knows how to prevent osteoarthritis, you can help prevent symptoms by following these guidelines:


- ◆ Keep your joints in good working order. Stay fit. Do any exercises recommended by your doctor or physical therapist for posture, muscle strength, and joint mobility. Daily moderate exercise is much better for your joints than occasional strenuous exercise. Walk a little each day if you can. Be sure to wear comfortable, well-cushioned walking shoes. Otherwise, you can exercise while sitting down or go swimming. The water in a warm swimming pool can help support your weight while you exercise, and the warmth helps improve joint movement.



- ◆ Protect your joints by doing warm-up exercises before strenuous activity.
- ◆ Use a knee pad to protect your knees when you are kneeling.



- ◆ Take the medication your doctor recommends for controlling your osteoarthritis.
- ◆ Keep your body healthy by eating a healthy, varied, low-fat diet.
- ◆ Follow your doctor's recommendations for weight control.



Developed by Ann Carter, MD, for McKesson Clinical Reference Systems.

This content is reviewed periodically and is subject to change as new health information becomes available. The information is intended to inform and educate and is not a replacement for medical evaluation, advice, diagnosis or treatment by a healthcare professional.













